



# Uniform Interpolation and Forgetting for ALC Ontologies with ABoxes

[Link to publication record in Manchester Research Explorer](#)

## Citation for published version (APA):

Koopmann, P., Schmidt, R. A., Bonet, B. (Ed.), & Koenig, S. (Ed.) (2015). Uniform Interpolation and Forgetting for ALC Ontologies with ABoxes. In B. Bonet, & S. Koenig (Eds.), *Proceedings of the Twenty-Ninth AAAI Conference on Artificial Intelligence* (pp. 175-181). AAAI Press.  
<http://www.aaai.org/ocs/index.php/AAAI/AAAI15/paper/view/9981>

## Published in:

Proceedings of the Twenty-Ninth AAAI Conference on Artificial Intelligence

## Citing this paper

Please note that where the full-text provided on Manchester Research Explorer is the Author Accepted Manuscript or Proof version this may differ from the final Published version. If citing, it is advised that you check and use the publisher's definitive version.

## General rights

Copyright and moral rights for the publications made accessible in the Research Explorer are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

## Takedown policy

If you believe that this document breaches copyright please refer to the University of Manchester's Takedown Procedures [<http://man.ac.uk/04Y6Bo>] or contact [uml.scholarlycommunications@manchester.ac.uk](mailto:uml.scholarlycommunications@manchester.ac.uk) providing relevant details, so we can investigate your claim.



# Uniform Interpolation and Forgetting for $\mathcal{ALC}$ Ontologies with ABoxes

Patrick Koopmann and Renate A. Schmidt

School of Computer Science, The University of Manchester,  
Oxford Road, Manchester M13 9PL, United Kingdom

## Abstract

Uniform interpolation and the dual task of forgetting restrict the ontology to a specified subset of concept and role names. This makes them useful tools for ontology analysis, ontology evolution and information hiding. Most previous research focused on uniform interpolation of TBoxes. However, especially for applications in privacy and information hiding, it is essential that uniform interpolation methods can deal with ABoxes as well. We present the first method that can compute uniform interpolants of any  $\mathcal{ALC}$  ontology with ABoxes. ABoxes bring their own challenges when computing uniform interpolants, possibly requiring disjunctive statements or nominals in the resulting ABox. Our method can compute representations of uniform interpolants in  $\mathcal{ALCO}$ . An evaluation on realistic ontologies shows that these uniform interpolants can be practically computed, and can often even be presented in pure  $\mathcal{ALC}$ .

## Introduction

Ontologies are knowledge bases that are used in diverse applications ranging from medicine, bio-informatics and software development to the semantic web. They are used to define and store conceptual information about a domain of interest, and are usually represented using a description logic. Often, an ontology consists of a TBox and an ABox. The TBox, containing terminological information, defines concepts and relations. The ABox, containing factual information, uses these defined concepts and relations to make assertions about individuals.

Uniform interpolation allows for information that is irrelevant for a new context, or that should be hidden from certain users, to be removed from an ontology. This is done by restricting the set of concept and relation symbols that occur in the ontology, preserving all entailments of the original ontology that are expressible in the restricted signature. An alternative view of uniform interpolation is forgetting. The aim of forgetting is to eliminate a set of concept and role symbols from an ontology in such a way that all entailments in the remaining signature are preserved.

Uniform interpolation has numerous applications, of which we give some examples; more examples can be found in Lutz and Wolter (2011) and Ludwig and Konev (2014).

Copyright © 2015, Association for the Advancement of Artificial Intelligence (www.aaai.org). All rights reserved.

**Ontology Reuse.** Often, only a subset of the vocabulary of an existing ontology is relevant for a particular application. Uniform interpolants can be used to extract small subsets of existing ontologies to reuse them in specialized contexts.

**Ontology Analysis.** By computing a restricted view that uses only a limited set of symbols of interest, hidden relations between concepts and individuals are made explicit (Konev, Walther, and Wolter 2009).

**Logical Difference.** Applying changes to an ontology can lead to undesired new entailments regarding already defined concepts. The new entailments in the common signature of two ontologies are referred to as logical difference (Konev, Walther, and Wolter 2008). The logical difference can easily be computed by checking for entailment of the axioms of the respective uniform interpolants (Ludwig and Konev 2014).

**Information Hiding.** In applications where ontologies are accessed by multiple users, it is critical that confidential information is sufficiently protected (Grau 2010). This can be solved by sharing a uniform interpolant of the original ontology, where confidential concepts and relations have been eliminated.

Given its importance for all these applications, uniform interpolation has recently gained a lot of attention in the literature. First methods for simpler description logics such as DL-Lite (Wang et al. 2010) and  $\mathcal{EL}$  (Konev, Walther, and Wolter 2009; Lutz, Seylan, and Wolter 2012; Nikitina and Rudolph 2014), as well as for more expressive ones such as  $\mathcal{ALC}$  (Wang et al. 2014; Ludwig and Konev 2014; Koopmann and Schmidt 2013c),  $\mathcal{ALCH}$  (Koopmann and Schmidt 2013a) and even  $\mathcal{SHQ}$  (Koopmann and Schmidt 2014a) have been devised. However, none of the methods for the more expressive description logics works without limitations if ABoxes are involved.

Especially for privacy and information hiding applications, we believe support for ABoxes is important if uniform interpolation is to be used effectively. In a lot of cases, confidential information will be stored as facts in ABoxes or databases used in connection with ontologies. For instance, Grau (2010) mentions shared patient data records, for which hiding information is indispensable in order to preserve the privacy of the patients. So far no method is able to deal with these situations properly, if the data are to be shared.

The first method for uniform interpolation in  $\mathcal{ALC}$ , presented in Wang et al. (2009), already considers ontologies with ABoxes. This method is based on computing the dis-

junctive normal form of its input, which makes it unpractical for large ontologies. Later methods for expressive description logics presented in Ludwig and Konev (2014) and Koopmann and Schmidt (2013c; 2014a) employed saturation based reasoning techniques to achieve practicality, but only apply to TBoxes. Moreover, it turns out that the original approach by Wang et al. (2009) cannot compute the right uniform interpolant for all ABoxes. In order to preserve all entailments in the desired signature of an ontology with ABox, it is necessary to use a more expressive description logic than  $\mathcal{ALC}$  for the uniform interpolant.

Uniform interpolation and forgetting are tasks much more difficult than standard reasoning tasks. Not all uniform interpolants can be finitely represented using standard description logics, and it has been shown that the size of a uniform interpolant of a TBox can be triple exponential with respect to the input TBox, if represented in  $\mathcal{ALC}$  (Lutz and Wolter 2011). For  $\mathcal{ALC}$  TBoxes, finite representations can be obtained by extending the underlying description logic with fixpoint expressions (using  $\mathcal{ALC}\nu$ ), or by allowing additional symbols in the uniform interpolant (Koopmann and Schmidt 2013c). This is however not sufficient if ABoxes are involved, as our results show. If we want to preserve all entailments in the desired signature, we have to represent the uniform interpolant in an extended language such as  $\mathcal{ALC}\nu$  with disjunctive ABoxes or  $\mathcal{ALC}\mathcal{O}\nu$ .

The method presented in this paper is based on a method for  $\mathcal{ALCH}$  TBoxes from Koopmann and Schmidt (2013a), which is extended in non-trivial ways. First, we extend the calculus with unification based reasoning. As a by-product, we develop a decision procedure for  $\mathcal{ALC}\nu$  ontologies with disjunctive ABoxes. Second, in order to represent the result in  $\mathcal{ALC}\mathcal{O}$  with classical ABoxes, we devise a method to approximate disjunctive  $\mathcal{ALC}$  ABoxes into classical  $\mathcal{ALC}\mathcal{O}$  ABoxes in the same signature that preserve all classical  $\mathcal{ALC}$  entailments. This method is also of interest for applications other than uniform interpolation.

To summarize, the contributions of this work are the following: (1) We define a new resolution-based decision procedure for  $\mathcal{ALC}\nu$  ontologies with disjunctive ABoxes. (2) Based on this procedure, we define a method to compute uniform interpolants of  $\mathcal{ALC}\nu$  ontologies with disjunctive ABoxes. This method is both able to forget concept and role symbols. By using helper concepts, these uniform interpolants can be represented in pure  $\mathcal{ALC}$  with disjunctive ABoxes. (3) We define a method for efficiently transforming  $\mathcal{ALC}$  ontologies with disjunctive ABoxes into classical  $\mathcal{ALC}\mathcal{O}$  ontologies that preserve all entailments in  $\mathcal{ALC}$ . (4) Based on these methods, we develop the first method that is able to compute uniform interpolants of all  $\mathcal{ALC}$  ontologies with ABoxes, and represent them as  $\mathcal{ALC}\mathcal{O}$  ontologies. (5) We evaluated the method on realistic ontologies, showing that it is indeed practical, and that in most cases even  $\mathcal{ALC}$  is sufficient to represent uniform interpolants of  $\mathcal{ALC}$  ontologies with ABoxes.

Detailed proofs of all theorems can be found in the long version of the paper (Koopmann and Schmidt 2014c). A preliminary version was presented at the 2014 Description Logic Workshop (Koopmann and Schmidt 2014b).

## Description Logics

In this section, we recall the description logics  $\mathcal{ALC}$  and  $\mathcal{ALC}\mathcal{O}$ , and introduce  $\mathcal{ALC}\nu$  with disjunctive ABoxes. Let  $N_c$ ,  $N_r$ ,  $N_i$  and  $N_v$  be pairwise disjoint sets of *concept symbols*, *role symbols*, *individuals* and *concept variables*. An  $\mathcal{ALC}$  concept is an expression of the form  $A$ ,  $\neg C$ ,  $C \sqcup D$ ,  $C \sqcap D$ ,  $\exists r.C$ ,  $\forall r.C$ , where  $A \in N_c$ ,  $r \in N_r$  and  $C, D$  are  $\mathcal{ALC}$  concepts. An  $\mathcal{ALC}$  TBox is a finite set of *general concept inclusion axioms* (GCIs) of the form  $C \sqsubseteq D$ , where  $C, D$  are  $\mathcal{ALC}$  concepts. A *classical  $\mathcal{ALC}$  ABox* is a set of *concept assertions* of the form  $C(a)$ , and *role assertions* of the form  $r(a, b)$ , where  $C$  is any  $\mathcal{ALC}$  concept,  $r \in N_r$  and  $a, b \in N_i$ . We refer to GCIs, concept assertions and role assertions collectively as *axioms*. A *classical  $\mathcal{ALC}$  ontology* is a tuple  $\langle \mathcal{T}, \mathcal{A} \rangle$ , where  $\mathcal{T}$  is an  $\mathcal{ALC}$  TBox and  $\mathcal{A}$  an  $\mathcal{ALC}$  ABox. The semantics of  $\mathcal{ALC}$  is defined as usual (see, e.g., Baader and Nutt (2007)). We write  $\mathcal{O} \models \alpha$ , where  $\mathcal{O}$  is an ontology and  $\alpha$  any GCI, concept assertion or role assertion, to denote that  $\alpha$  is true in every model of  $\mathcal{O}$ .

A *greatest fixpoint* is a concept of the form  $\nu X.C[X]$ , where  $X \in N_v$  and  $C[X]$  is a concept in which  $X$  occurs as a concept symbol, but only positively, e.g., under an even number of negations.  $\mathcal{ALC}\nu$  extends  $\mathcal{ALC}$  with greatest fixpoints, which are only allowed to occur positively in concept assertions and on the right hand side of GCIs. Due to this condition, least fixpoints cannot be equivalently expressed in  $\mathcal{ALC}\nu$ . Intuitively,  $\nu X.C[X]$  represents the most general concept  $C_\nu$ , with respect to the concept inclusion relation, for which  $C_\nu \equiv C[C_\nu]$  holds, where  $C[C_\nu]$  is the result of replacing  $X$  in  $C[X]$  by  $C_\nu$ . For a formal definition of the semantics of fixpoint expressions, we refer to Calvanese, De Giacomo, and Lenzerini (1999).

A *disjunctive  $\mathcal{ALC}\nu$  ABox* is a classical  $\mathcal{ALC}\nu$  ABox that additionally contains *disjunctive concept assertions* of the form  $C_1(a_1) \vee \dots \vee C_n(a_n)$ , where for  $1 \leq i \leq n$ ,  $a_i \in N_i$  and  $C_i$  is any  $\mathcal{ALC}\nu$  concept. The semantics is as expected:  $\mathcal{O} \models C_1(a_1) \vee \dots \vee C_n(a_n)$  iff  $\mathcal{O} \models C_i(a_i)$  for some  $i \in \{1, \dots, n\}$ . A *general  $\mathcal{ALC}$  ( $\mathcal{ALC}\nu$ ) ontology* is a tuple  $\langle \mathcal{T}, \mathcal{A} \rangle$ , where  $\mathcal{A}$  is a disjunctive ABox.

The description logics  $\mathcal{ALC}\mathcal{O}$  and  $\mathcal{ALC}\mathcal{O}\nu$  extend respectively  $\mathcal{ALC}$  and  $\mathcal{ALC}\nu$  with *nominal concepts* of the form  $\{a\}$ ,  $a \in N_i$ . They allow to reference specific individuals in concepts and can be used in any combination with the other operators. For the semantics of  $\mathcal{ALC}\mathcal{O}$  and  $\mathcal{ALC}\mathcal{O}\nu$ , we again refer to Baader and Nutt (2007) and Calvanese, De Giacomo, and Lenzerini (1999).

## Uniform Interpolation

We now define  $\mathcal{ALC}$  uniform interpolants formally. A *signature* is any subset  $\mathcal{S}$  of  $N_c \cup N_r$ . The signature  $\text{sig}(E)$  denotes the concept and role symbols occurring in  $E$ , where  $E$  ranges over concepts, axioms and ontologies.

**Definition 1.** *Let  $\mathcal{O}$  be a classical  $\mathcal{ALC}$  ontology and  $\mathcal{S}$  a signature. An ontology  $\mathcal{O}^{\mathcal{S}}$  is an  $\mathcal{ALC}$  uniform interpolant of  $\mathcal{O}$  for  $\mathcal{S}$  iff the following conditions hold:*

1.  $\text{sig}(\mathcal{O}^{\mathcal{S}}) \subseteq \mathcal{S}$ .
2. For any  $\mathcal{ALC}$  axiom  $\alpha$  with  $\text{sig}(\alpha) \subseteq \mathcal{S}$ ,  $\mathcal{O}^{\mathcal{S}} \models \alpha$  iff  $\mathcal{O} \models \alpha$ .

Note that we do not require an  $\mathcal{ALC}$  uniform interpolant  $\mathcal{O}^S$  to be itself a classical  $\mathcal{ALC}$  ontology. In particular,  $\mathcal{O}^S$  can also be an  $\mathcal{ALC}\mathcal{O}\nu$  ontology or an  $\mathcal{ALC}\nu$  ontology with disjunctive concept assertions.

Before we describe our method for computing  $\mathcal{ALC}$  uniform interpolants, we start in a generalized setting, namely, general  $\mathcal{ALC}\nu$  uniform interpolants.

**Definition 2.** Let  $\mathcal{O}$  be a general  $\mathcal{ALC}\nu$  ontology and  $\mathcal{S}$  a signature.  $\mathcal{O}^S$  is a general  $\mathcal{ALC}\nu$  uniform interpolant of  $\mathcal{O}$  for  $\mathcal{S}$ , iff

1.  $\text{sig}(\mathcal{O}^S) \subseteq \mathcal{S}$  and
2. For any  $\mathcal{ALC}\nu$  axiom or disjunctive concept assertion  $\alpha$  with  $\text{sig}(\alpha) \subseteq \mathcal{S}$ ,  $\mathcal{O}^S \models \alpha$  iff  $\mathcal{O} \models \alpha$ .

It is easy to verify that the conditions in Definition 2 imply those in Definition 1. The converse does not hold, since a general  $\mathcal{ALC}\nu$  uniform interpolant might entail disjunctive concept assertions, which are not necessarily preserved by classical  $\mathcal{ALC}$  uniform interpolants. General  $\mathcal{ALC}\nu$  uniform interpolants have the nice property that they can always be represented as general  $\mathcal{ALC}\nu$  ontologies themselves:

**Theorem 1.** Let  $\mathcal{O}$  be any  $\mathcal{ALC}\nu$  ontology, and  $\mathcal{S}$  any signature. Then there exists a finite general  $\mathcal{ALC}\nu$  ontology  $\mathcal{O}^S$ , which is a uniform interpolant of  $\mathcal{O}$  for  $\mathcal{S}$ .

The validity of this theorem follows from the correctness of the method that we describe in the next sections.

## Normalized Ontologies

Our approach is based on a method for computing uniform interpolants of  $\mathcal{ALC}\mathcal{H}$  TBoxes, introduced in Koopmann and Schmidt (2013a). A key ingredient of this method is that TBox axioms are represented in a certain normal form. We extend this presentation with variables and constants in order to incorporate ABox axioms.

**Definition 3.** Let  $N_d \subseteq N_c$  be a set of specific concept symbols called *definers*. A concept literal is a concept of the form  $A$ ,  $\neg A$ ,  $\exists r.D$  or  $\forall r.D$ , where  $A \in N_c$ ,  $r \in N_r$  and  $D \in N_d$ . An ontology  $\mathcal{O}$  is in normal form if every axiom is a role assertion, or a clause of one of these two forms, where  $L_i$  is a concept literal and  $a_i \in N_i$  for  $1 \leq i \leq n$ .

1. TBox clause:  $L_1(x) \vee \dots \vee L_n(x)$
2. ABox clause:  $L_1(a_1) \vee \dots \vee L_n(a_n)$

We view clauses as sets of literals, that is, they do not have duplicate literals and their order is not important. Furthermore, every clause is allowed to contain maximally one literal of the form  $\neg D(x)$  and no literal of the form  $\neg D(a)$ , where  $D \in N_d$  and  $a \in N_i$ .

A TBox clause  $L_1(x) \vee \dots \vee L_n(x)$  represents the equivalent GCI  $\top \sqsubseteq L_1 \sqcup \dots \sqcup L_n$ . The symbol  $x$  occurring in TBox clauses is referred to as a *variable*. Observe that one variable  $x$  is sufficient in our representation. We call elements of the set  $N_i \cup \{x\}$  *terms*.

Any general  $\mathcal{ALC}\nu$  ontology can be transformed into normal form using the following rules, applied from left to right, where  $Q \in \{\forall, \exists\}$ ,  $D \in N_d$  is fresh,  $C[X]$  contains a concept variable  $X$ , and  $C[D]$  denotes the result of replacing  $X$  in  $C[X]$  by  $D$ .

1.  $C_1 \vee Qr.C_2(t_1) \Leftrightarrow C_1 \vee Qr.D(t_1), \neg D(x) \vee C_2(x)$
2.  $C_1 \vee Qr.\nu X.C_2[X](t_1) \Leftrightarrow C_1 \vee Qr.D(t_1), \neg D(x) \vee C_2[D](x)$
3.  $C_1 \vee \nu X.C_2[X](t_1) \Leftrightarrow C_1 \vee D(t_1), \neg D(x) \vee C_2[D](x)$

These rules are justified by Ackermann's Lemma (Ackermann 1935) and a generalization (Nonnengart and Szalas 1995), which show that the transformation preserves the same models modulo interpretation of the definer concepts. The transformation introduces only finitely many fresh definers.

Any ontology in normal form can be converted back into a general  $\mathcal{ALC}\nu$  ontology without definers by applying the rules in the other direction. This is ensured by the last conditions in Definition 3. Whereas the transformations from left to right can just be applied to concepts as they are, the transformations from right to left require  $\neg D(x)$  to be the only negative occurrence of the definer  $D$  in the ontology. This is achieved by grouping TBox clauses containing the same negative literal  $\neg D(x)$  into one TBox axiom  $\neg D(x) \vee C$ . This is possible since negative definer literals only occur in TBox clauses, and since every TBox clause contains maximally one negative definer literal.

**Example 1.** Let  $\mathcal{O}_1 = \{A \sqsubseteq \forall r.(B \sqcap C), r(a, b), s(a, b), \neg(A \sqcap B)(b)\}$ . For the normal form, we have to replace  $(B \sqcap C)$  in the first axiom by a new definer  $D_1$ . The normal form of  $\mathcal{O}_1$  is  $\mathcal{N}_1 = \{\neg A(x) \vee (\forall r.D_1)(x), \neg D_1(x) \vee B(x), \neg D_1(x) \vee C(x), r(a, b), s(a, b), \neg A(b) \vee \neg B(b)\}$ .

The set of clauses  $\mathcal{N}_2 = \{B(b) \vee (\forall r.D_1)(a), \neg D_1(x) \vee A(x), \neg D_1(x) \vee (\exists r.D_1)(x)\}$ ,  $D_1 \in N_d$ , is transformed into the general  $\mathcal{ALC}\nu$  ontology  $\mathcal{O}_2 = \{B(b) \vee (\forall r.\nu X.(A \sqcap \exists r.X))(a)\}$  without definers.

Our method for forgetting concept and role symbols works on the normal form representation of the input ontology. The definers are eliminated afterwards using the right to left transformations above.

## The Calculus

Uniform interpolants are computed by saturating an ontology in normal form using the rules of the calculus shown in Figure 1. Before we describe the rules, a few notions have to be introduced.

Our normal form allows for a very simple form of unification. In our setting, given two terms  $t_1$  and  $t_2$ , the *unifier* of  $t_1$  and  $t_2$  is a substitution that replaces  $t_1$  by  $t_2$ , or vice versa. Two terms  $t_1$  and  $t_2$  only have a unifier if  $t_1 = x$ ,  $t_2 = x$  or  $t_1 = t_2$ . For example, the terms  $a$  and  $b$  do not have a unifier, and the unifier of  $a$  and  $x$  is  $\sigma = [x \mapsto a]$ . Applied to a clause  $C = A(x) \vee B(x)$ , this unifier produces the clause  $C\sigma = A(a) \vee B(a)$ .

To preserve the normal form, the calculus introduces new definers dynamically. More specifically, given two definers  $D_1$  and  $D_2$ , a definer  $D_{12}$  representing  $D_1 \sqcap D_2$  is introduced by adding the two clauses  $\neg D_{12}(x) \vee D_1(x)$  and  $\neg D_{12}(x) \vee D_2(x)$ . These two clauses correspond to the TBox axiom  $D_{12} \sqsubseteq D_1 \sqcap D_2$ . New definers are only introduced if necessary. By reusing already introduced definers, we maximally introduce  $2^n$  many new definers, where  $n$

|   |
|---|
| <p><b>Resolution</b><br/> <math display="block">\frac{C_1 \vee A(t_1) \quad C_2 \vee \neg A(t_2)}{(C_1 \vee C_2)\sigma}</math></p> <p><b>Role Propagation</b><br/> <math display="block">\frac{C_1 \vee (\forall r.D_1)(t_1) \quad C_2 \vee (Qr.D_2)(t_2)}{(C_1 \vee C_2)\sigma \vee Qr.D_{12}(t_1\sigma)}</math></p> <p><b>Existential Role Restriction Elimination</b><br/> <math display="block">\frac{C \vee (\exists r.D)(t) \quad \neg D(x)}{C}</math></p> <p><b>Role Instantiation</b><br/> <math display="block">\frac{C_1 \vee (\forall r.D)(t_1) \quad r(t_2, b)}{C_1\sigma \vee D(b)}</math></p> <p>where <math>Q \in \{\exists, \forall\}</math>, <math>\sigma</math> is the unifier of <math>t_1</math> and <math>t_2</math> if it exists, <math>D_{12}</math> is a possibly new definer representing <math>D_1 \sqcap D_2</math> and <math>C_1 \vee C_2</math> contains maximally one literal of the form <math>\neg D(x)</math> and no literal of the form <math>\neg D(a)</math>.</p> |
|---|

Figure 1: The rules of the calculus.

is the number of definers in the normalized input. This results in a double exponential bound on the number of derived clauses, and guarantees termination of our method.

The first three rules in Figure 1 are generalizations of the rules used in Koopmann and Schmidt (2013a). Whereas the original calculus has only rules for TBox clauses, we extend them using unification to make them applicable for cases where the premises contain one or more ABox clauses. In addition, since an ABox can contain role assertions, we need a rule that propagates information for universal role restrictions  $\forall r.D$  along role assertions. This is achieved by the role instantiation rule. Observe that, for a role assertion  $r(a, b)$ , the rule is only applicable to clauses of the form  $C \vee (\forall r.D)(x)$  or  $C \vee (\forall r.D)(a)$ .

The side conditions of the rules ensure that only clauses in the normal form are derived. This way, we ensure that any derived set of clauses can be transformed back into an  $\mathcal{ALC}\nu$  ontology without definers. Clauses of the form  $\neg D(a) \vee C$  do not need to be derived, as is shown in the correctness proofs in the long version of this paper.

**Example 2.** Take the clause set  $\mathcal{N}_1$  from Example 1. We can apply role instantiation on  $\neg A(x) \vee (\forall r.D_1)(x)$  and  $r(a, b)$ , using the unifier  $[x \mapsto a]$ , and infer the clause  $\neg A(a) \vee D_1(b)$ . With the same unifier, we can apply resolution on  $D_1(b)$  in this clause and derive  $\neg A(a) \vee B(b)$  and  $\neg A(a) \vee C(b)$ . Resolution on  $\neg A(a) \vee B(b)$  and  $\neg A(b) \vee \neg B(b)$  derives  $\neg A(a) \vee \neg A(b)$ , where the unifier is  $[b \mapsto b]$ .

**Theorem 2.** For any general  $\mathcal{ALC}\nu$  ontology  $\mathcal{O}$ ,  $\mathcal{O}$  is unsatisfiable iff the empty clause can be derived in finitely many steps from its normal form representation using the rules of the calculus.

*Proof (sketch).* Termination follows from the fact that, starting from a set  $\mathcal{N}$  of  $n$   $\mathcal{ALC}$  clauses, maximally  $O(2^{2^n})$

many clauses can be derived. A derivation of the empty clause embodies a direct contradiction. If the empty clause cannot be derived, we can adapt the model construction used in Koopmann and Schmidt (2013c) to build a model based on the saturated set of clauses. Consequently,  $\mathcal{N}$  has a model and is satisfiable.  $\square$

## Uniform Interpolation in Normal Form

Let  $\mathcal{N}$  be any ontology in normal form,  $\mathcal{S}$  any signature, and  $\mathcal{N}^*$  the saturation of  $\mathcal{N}$  using the rules of the calculus. The clausal representation  $\mathcal{N}^{\mathcal{S}}$  of the uniform interpolant of  $\mathcal{N}$  for  $\mathcal{S}$  is the smallest set of clauses  $C \in \mathcal{N}^*$  with  $\text{sig}(C) \subseteq \mathcal{S} \cup N_d$  that satisfy at least one of the following conditions:

1.  $C \in \mathcal{N}$ .
2.  $C$  is the result of applying a rule on a literal that is not in  $\mathcal{S} \cup N_d$ .
3.  $C$  contains a definer  $D$  that occurs in another clause in  $\mathcal{N}^{\mathcal{S}}$ .

It can be shown that every entailment  $\alpha$  of  $\mathcal{N}$  with  $\text{sig}(\alpha) \subseteq \mathcal{S}$  is also entailed by  $\mathcal{N}^{\mathcal{S}}$ . Condition 1 ensures that we keep all clauses that were in the desired signature from the beginning. Condition 2 ensures that we preserve all possible inferences in  $\mathcal{S}$  that involve symbols outside  $\mathcal{S}$ . It is possible that these inferences are made possible by applications of the role propagation rule. If this is the case,  $\mathcal{N}^{\mathcal{S}}$  contains introduced definers. This is taken care of by Condition 3, which ensures that  $\mathcal{N}^{\mathcal{S}}$  is closed under introduced definers. To be more specific, any existential or universal restrictions that refer to these introduced definers, and any clauses of the form  $\neg D_{12}(x) \vee C(x)$  that are necessary to preserve the meaning of  $D_{12}$ , belong to  $\mathcal{N}^{\mathcal{S}}$ . This ensures that all entailments in  $\mathcal{S}$  are still preserved after the elimination of all definers using the normal form transformation rules described in an earlier section.

Given any general  $\mathcal{ALC}\nu$  ontology  $\mathcal{O}$  and any signature  $\mathcal{S}$ , this is how a general  $\mathcal{ALC}\nu$  uniform interpolant  $\mathcal{O}^{\mathcal{S}}$  is computed: (1)  $\mathcal{O}$  is transformed into a set  $\mathcal{N}$  of clauses in normal form. (2) For  $\mathcal{N}$ , we compute the set  $\mathcal{N}^{\mathcal{S}}$  defined above using the rules of the calculus. (3) Finally, we eliminate all definers by applying the normal form transformation rules from right to left. We have the following theorem.

**Theorem 3.** Let  $\mathcal{O}$  be any general  $\mathcal{ALC}\nu$  ontology and  $\mathcal{S}$  any signature. The described method always terminates and the returned ontology,  $\mathcal{O}^{\mathcal{S}}$ , is a general  $\mathcal{ALC}\nu$  uniform interpolant of  $\mathcal{O}$  for  $\mathcal{S}$ . Furthermore,  $\mathcal{O}^{\mathcal{S}}$  is in the worst case of size  $O(2^{2^n})$ , where  $n$  is the size of  $\mathcal{O}$ .

**Example 3.** Let  $\mathcal{O}_1$  and  $\mathcal{N}_1$  be as in Example 1 and  $\mathcal{S} = \{A, C, r, s\}$ . We already computed all inferences for  $\mathcal{N}_1$  in Example 2. Following the above conditions, we have that the clausal representation of the uniform interpolant of  $\mathcal{O}_1$  for  $\mathcal{S}$  is  $\mathcal{N}_1^{\mathcal{S}} = \{\neg A(x) \vee (\forall r.D_1)(x), \neg D_1(x) \vee C(x), r(a, b), s(a, b), \neg A(a) \vee \neg A(b)\}$ . After eliminating the only definer  $D_1$ , we obtain a uniform interpolant of  $\mathcal{O}_1$  for  $\mathcal{S}$ , which is  $\mathcal{O}_1^{\mathcal{S}} = \{A \sqsubseteq \forall r.C, r(a, b), s(a, b), \neg A(a) \vee \neg A(b)\}$ .

## Representing the Result in $\mathcal{ALCO}$

Since all classical  $\mathcal{ALC}$  ontologies are also  $\mathcal{ALC}\nu$  ontologies, the method can be used for computing a finite uniform interpolant of any  $\mathcal{ALC}$  ontology, but in an extended language, because these uniform interpolants may contain greatest fixpoint concepts and disjunctive concept assertions. These are not supported by standard description logic reasoners or the web ontology standard language OWL. For this reason, it is of interest to represent the uniform interpolant in a more common description logic.

If a definer can only be eliminated by introducing a fixpoint, we can omit this elimination and keep the corresponding cyclic definer concept. As a result, we obtain an ontology that is not completely in the desired signature, but preserves all entailments we are interested in. The cyclic definers that stay in the ontology can be seen as helper concepts that “simulate” the greatest fixpoints and make a finite representation possible, despite cycles in the TBox. For applications that require the uniform interpolant to be completely in the desired signature, e.g. logical difference, the fixpoint can be approximated by bounded iterative unfolding, as described in Koopmann and Schmidt (2013c).

Another problem is illustrated by the uniform interpolant  $\mathcal{O}_1^S$  computed in Example 3. Due to the clause  $\neg A(a) \vee \neg A(b)$ , and because  $a$  and  $b$  are connected by the two role assertions  $r(a, b)$  and  $s(a, b)$ , one can verify that  $\mathcal{O}_1^S \models (\neg A \sqcup \exists r.(\neg A \sqcap E) \sqcup \exists s.(\neg A \sqcap \neg E))(a)$ , for any  $\mathcal{ALC}$  concept  $E$ . These cannot be captured by a finite classical  $\mathcal{ALC}$  ontology. However, in  $\mathcal{ALCO}$ , we can capture them by the concept assertion  $(\neg A \sqcup \exists r.(\neg A \sqcap \{b\}))(a)$ , taking into account the role assertions  $r(a, b)$  and  $s(a, b)$  in the uniform interpolant. (Another solution, using a technique from Areces et al. (2003), involves the introduction of additional roles for each disjunction. But this approach unnecessarily extends the signature of the uniform interpolant.)

If all individuals occurring in an ABox clause  $C$  are connected to some root individual  $a$  via a chain of role assertions,  $C$  can be represented as a classical  $\mathcal{ALCO}$  concept assertion on  $a$  in the same way as in the example. We call these concept assertions  $\mathcal{ALCO}$  convertible. If an ABox clause  $C$  is not  $\mathcal{ALCO}$  convertible, we cannot express  $C$  as a classical concept assertion, but  $C$  might still contribute to the entailment of other classical concept assertions. To compute a set of clauses that can be fully translated into  $\mathcal{ALCO}$ , and that preserves all entailments which are classical  $\mathcal{ALC}$  axioms, we use our calculus in a similar way as for computing uniform interpolants. Let  $\mathcal{N}$  be any set of clauses and  $\mathcal{N}^*$  the saturation of  $\mathcal{N}$ . The set  $\mathcal{N}^{conv}$  is the smallest set of clauses  $C \in \mathcal{N}^*$  that are  $\mathcal{ALCO}$  convertible and satisfy at least one of the following conditions:

1.  $C \in \mathcal{N}$ .
2.  $C$  is the conclusion of any rule application on a clause that is not  $\mathcal{ALCO}$  convertible.

$\mathcal{N}^{conv}$  preserves all entailments of  $\mathcal{N}$  that are representable as classical  $\mathcal{ALC}$  axioms.  $\mathcal{N}^{conv}$  can be transformed into an  $\mathcal{ALCO}$  ontology without definers, and all remaining disjunctive concept assertions can be represented as classical concept assertions using nominals.

**Theorem 4.** *Let  $\mathcal{N}$  be any ontology in normal form. Then, the described method for approximating disjunctive concept assertions computes an  $\mathcal{ALC}$  or  $\mathcal{ALCO}$  ontology  $\mathcal{O}$  with classical ABox, and we have for any classical  $\mathcal{ALC}$  axiom  $\alpha$  without definers that  $\mathcal{O} \models \alpha$  iff  $\mathcal{N} \models \alpha$ .*

By combining this technique with our method for computing general  $\mathcal{ALC}\nu$  uniform interpolants, we can compute  $\mathcal{ALC}$  uniform interpolants in  $\mathcal{ALCO}\nu$  with classical ABoxes for any  $\mathcal{ALC}$  input ontology. Furthermore, by keeping definers that can only be eliminated using fixpoints, we can represent all uniform interpolants as classical  $\mathcal{ALCO}$  ontologies.

## Evaluation

To investigate practicality of our approach, we have implemented a prototype using the OWL API<sup>1</sup> and some of the optimisations mentioned in Ludwig and Konev (2014) and Koopmann and Schmidt (2013b). Experiments were conducted on a set of ontologies taken from the NCBO BioPortal<sup>2</sup> and the Oxford Ontology<sup>3</sup> repositories, which we restricted to axioms fully expressible in  $\mathcal{ALC}$ , where domain and range restrictions were interpreted as corresponding  $\mathcal{ALC}$  axioms. For a detailed description of these repositories, see Matentzoglou, Bail, and Parsia (2013). The experiments have been performed on a desktop PC with Intel Core i7 350GHz CPU and 8 GB RAM.

To obtain a set of ontologies that test the ABox processing of our method and can be evaluated in reasonable time, we selected ontologies according to the following criteria: They (1) could be downloaded and parsed by the OWL API without errors, (2) contain more ABox axioms than TBox axioms, (3) are consistent, (4) contain at least 100 TBox axioms, (5) contain at least 80% TBox axioms that are in  $\mathcal{ALC}$ , (6) contain at least one axiom that is in  $\mathcal{ALC}$  but not in  $\mathcal{EL}$ , and (7) contain at most 40,000 axioms. The selected ontologies are listed in Table 1, which shows the number of TBox axioms, ABox axioms, concept symbols and role symbols for each ontology. CCON, CTX, ICPS, ICF and SSE were taken from the NCBO BioPortal repository, whereas 00104, 00596, 00597 and 00773 were taken from the Oxford Ontology repository.

For the experiments, our assumption has been that the targeted applications require either uniform interpolants for relatively big signatures (e.g., logical difference, information hiding) or for relatively small signatures (e.g., ontology analysis). We therefore generated for each ontology 350 signatures which included any concept or role symbol with a probability of 90% (forgetting about 10% of all symbols), and 350 signatures which included any concept or role symbol with a probability of 10% (forgetting about 90% of all symbols). We then computed uniform interpolants for these signatures represented as  $\mathcal{ALCO}$  ontologies with classical ABoxes. For each experimental run, the timeout was 30 minutes.

<sup>1</sup><http://owlapi.sourceforge.net/>

<sup>2</sup><http://bioportal.bioontology.org/>

<sup>3</sup><http://www.cs.ox.ac.uk/isg/ontologies/>

| Ontology | TBox  | ABox   | Concepts | Roles |
|----------|-------|--------|----------|-------|
| CCON     | 214   | 364    | 86       | 28    |
| CTX      | 364   | 1,553  | 290      | 22    |
| ICPS     | 953   | 4,254  | 432      | 135   |
| ICF      | 1,991 | 17,223 | 1,596    | 41    |
| SSE      | 267   | 2,323  | 243      | 18    |
| 00104    | 1,157 | 2,451  | 1,094    | 6     |
| 00596    | 2,257 | 2,658  | 2,023    | 19    |
| 00597    | 2,887 | 3,646  | 2,341    | 25    |
| 00773    | 581   | 2,334  | 244      | 83    |

Table 1: The input ontologies.

| Ontology | Timeouts | Duration   | TBox   | ABox   |
|----------|----------|------------|--------|--------|
| CCON     | 1.1%     | 14.1 sec.  | 89.1%  | 92.0%  |
| CTX      | 4.0%     | 72.6 sec.  | 87.5%  | 153.5% |
| ICPS     | 21.1%    | 11.1 sec.  | 243.2% | 81.0%  |
| ICF      | 0.0%     | 13.0 sec.  | 86.6%  | 38.1%  |
| SSE      | 0.0%     | 1.9 sec.   | 85.3%  | 99.5%  |
| 00104    | 0.0%     | 8.2 sec.   | 87.9%  | 97.8%  |
| 00596    | 0.0%     | 10.6 sec.  | 85.3%  | 89.4%  |
| 00597    | 6.6%     | 108.8 sec. | 167.6% | 91.1%  |
| 00773    | 0.0%     | 3.9 sec.   | 109.2% | 104.2% |

Table 2: Uniform interpolants for symbols selected with 90% probability.

The results are shown in Table 2 and 3, where we show the number of timeouts, the average duration of each successful run, and the percentage of the average number of TBox and ABBox axioms in the computed uniform interpolants in comparison to those in the input ontologies. For the uniform interpolants that included any symbol with a probability with 90%, each ABBox axiom contained on average 2.6 symbols, whereas each TBox axiom contained on average 8.5 symbols (counting concept symbols, role symbols, individuals and operators). For the uniform interpolants that included any symbol with a probability of 10%, each ABBox axiom contained on average 2.4 symbols and each TBox axiom 13.5 symbols. As the table shows, many uniform interpolants that included symbols with a probability of 10% only had small TBoxes. This can be explained by the small number of symbols present in these ontologies, which restricts the number of axioms that can be expressed.

Most concept assertions used just one concept symbol, whereas a few used simple concept disjunctions or role restrictions. On the other hand, the structure of the TBox axioms was affected more, especially in uniform interpolants with small signatures. Whereas a lot of axioms had simple forms such as  $A \sqsubseteq B$ ,  $A \sqsubseteq \exists r.B$  or  $A \sqcup B \sqcup C \sqsubseteq \perp$ , some would involve deep nestings of role restrictions. We also noticed that more complex axioms sometimes contained redundant information that was not detected by our prototype. A typical example are patterns such as  $A \sqcap (\neg A \sqcup C)$ , that could have been simplified using further resolution steps. In general, the majority of axioms was still easily human readable.

| Ontology | Timeouts | Duration   | TBox   | ABox   |
|----------|----------|------------|--------|--------|
| CCON     | 0.0%     | 4.0 sec.   | 3.3%   | 62.5%  |
| CTX      | 91.7%    | 607.1 sec. | 3.5%   | 28.2%  |
| ICPS     | 19.1%    | 28.2 sec.  | 68.4%  | 465.7% |
| ICF      | 0.0%     | 7.4 sec.   | 4.5%   | 11.2%  |
| SSE      | 0.0%     | 23.4 sec.  | 3.3%   | 28.3%  |
| 00104    | 0.0%     | 2.4 sec.   | 3.7%   | 48.0%  |
| 00596    | 0.0%     | 10.4 sec.  | 3.5%   | 10.5%  |
| 00597    | 51.1%    | 705.5 sec. | 179.8% | 11.4%  |
| 00773    | 0.0%     | 24.9 sec.  | 29.1%  | 286.3% |

Table 3: Uniform interpolants for symbols selected with 10% probability.

Only uniform interpolants of the ontologies CCON, 00597 and 00773 contained cyclic definers. Of their uniform interpolants, only 7.2% contained cyclic definers. Interestingly, no uniform interpolant made use of nominals. The reason is that the ontologies of our corpus only contained few role assertions, and imposed a relatively simple structure. However, in 25.3% of cases we had to use our method for eliminating disjunctive ABBox statements, which always succeeded without introducing nominals. Hence, eliminating all non  $\mathcal{ALCO}$  convertible clauses quickly resulted in clause sets fully representable in  $\mathcal{ALC}$ .

As the tables show, the results varied considerably depending on the structure of the ontology, and the size was not the only determining factor. For example, CTX has only 290 TBox axioms, but caused in 91.7% of the cases timeouts when computing small uniform interpolants. Analysis of the signatures that caused timeouts showed that in most cases just a small number of symbols was responsible, whereas the majority of concepts could be eliminated very quickly. In practical applications, one might therefore consider to extend the desired signature by one or two symbols, determined by some heuristics, if the computation turns out to be too expensive and the application allows it.

## Conclusion and Future Work

We have presented a new method for computing uniform interpolants of  $\mathcal{ALC}$  ontologies with ABBoxes. Though the problem is complex and theoretical results show the target language needs to be slightly more expressive, our experiments show that in most cases uniform interpolants can be computed in reasonable time and do not fall outside the boundary of  $\mathcal{ALC}$ .

We are currently extending the approach to more expressive description logics, allowing for role hierarchies, transitive roles, inverse roles or cardinality restrictions. Even though our prototype already uses optimisations, further optimisations would strengthen the approach further, especially for ontologies with large ABBoxes, but also for computing smaller axioms.

## Acknowledgments

Patrick Koopmann is supported by an EPSRC doctoral training award.

## References

- Ackermann, W. 1935. Untersuchungen über das Eliminationsproblem der mathematischen Logik. *Mathematische Annalen* 110(1):390–413.
- Areces, C.; Blackburn, P.; Hernández, B. M.; and Marx, M. 2003. Handling Boolean ABoxes. In *Proc. DL'03*, volume 81 of *CEUR Workshop Proceedings*. CEUR-WS.org.
- Baader, F., and Nutt, W. 2007. Basic description logics. In Baader, F.; Calvanese, D.; McGuinness, D. L.; Nardi, D.; and Patel-Schneider, P. F., eds., *The Description Logic Handbook*. Cambridge University Press, second edition. chapter 2.
- Calvanese, D.; De Giacomo, G.; and Lenzerini, M. 1999. Reasoning in expressive description logics with fixpoints based on automata on infinite trees. In *Proc. IJCAI '99*, 84–89. Morgan Kaufmann.
- Grau, B. C. 2010. Privacy in ontology-based information systems: A pending matter. *Semantic Web* 1(1-2):137–141.
- Konev, B.; Walther, D.; and Wolter, F. 2008. The logical difference problem for description logic terminologies. In *Automated Reasoning*. Springer. 259–274.
- Konev, B.; Walther, D.; and Wolter, F. 2009. Forgetting and uniform interpolation in large-scale description logic terminologies. In *Proc. IJCAI '09*, 830–835. AAAI Press.
- Koopmann, P., and Schmidt, R. A. 2013a. Forgetting concept and role symbols in  $\mathcal{ALCH}$ -ontologies. In *Proc. LPAR'13*, volume 8312 of *LNCS*, 552–567. Springer.
- Koopmann, P., and Schmidt, R. A. 2013b. Implementation and evaluation of forgetting in  $\mathcal{ALC}$ -ontologies. In *Proc. WoMO'13*, volume 1081 of *CEUR Workshop Proceedings*, 37–48. CEUR-WS.org.
- Koopmann, P., and Schmidt, R. A. 2013c. Uniform interpolation of  $\mathcal{ALC}$ -ontologies using fixpoints. In *Proc. FroCoS'13*, volume 8152 of *LNCS*, 87–102. Springer.
- Koopmann, P., and Schmidt, R. A. 2014a. Count and forget: Uniform interpolation of  $\mathcal{SHQ}$ -ontologies. In *Proc. IJCAR'14*, volume 8562 of *LNCS*, 434–448. Springer.
- Koopmann, P., and Schmidt, R. A. 2014b. Forgetting and uniform interpolation for  $\mathcal{ALC}$ -ontologies with ABoxes. volume 1193 of *CEUR Workshop Proceedings*, 245–257. CEUR-WS.org. Proc. DL'14.
- Koopmann, P., and Schmidt, R. A. 2014c. Uniform interpolation and forgetting for  $\mathcal{ALC}$  ontologies with ABoxes—long version. eScholar uk-ac-man-scw:240525, The University of Manchester, UK.
- Ludwig, M., and Konev, B. 2014. Practical uniform interpolation and forgetting for  $\mathcal{ALC}$  TBoxes with applications to logical difference. In *Proc. KR'14*. AAAI Press.
- Lutz, C., and Wolter, F. 2011. Foundations for uniform interpolation and forgetting in expressive description logics. In *Proc. IJCAI '11*, 989–995. AAAI Press.
- Lutz, C.; Seylan, I.; and Wolter, F. 2012. An automata-theoretic approach to uniform interpolation and approximation in the description logic  $\mathcal{EL}$ . In *Proc. KR'12*, 286–296. AAAI Press.
- Matentzoglou, N.; Bail, S.; and Parsia, B. 2013. A snapshot of the OWL web. In *Proc. ISWC'13*. Springer. 331–346.
- Nikitina, N., and Rudolph, S. 2014. (non-) succinctness of uniform interpolants of general terminologies in the description logic  $\mathcal{EL}$ . *Artificial Intelligence* 215:120–140.
- Nonnengart, A., and Szafas, A. 1995. A fixpoint approach to second order quantifier elimination with applications to correspondence theory. Technical report.
- Wang, K.; Wang, Z.; Topor, R.; Pan, J.; and Antoniou, G. 2009. Concept and role forgetting in  $\mathcal{ALC}$  ontologies. 666–681.
- Wang, Z.; Wang, K.; Topor, R. W.; and Pan, J. Z. 2010. Forgetting for knowledge bases in DL-Lite. *Ann. Math. Artif. Intell.* 58(1–2):117–151.
- Wang, K.; Wang, Z.; Topor, R. W.; Pan, J. Z.; and Antoniou, G. 2014. Eliminating concepts and roles from ontologies in expressive descriptive logics. *Computational Intelligence* 30(2):205–232.